

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	309	(tanaka-kazunori).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/23 19:58
S2	5	(tanaka-kazunori).in. and (rotating adj machine)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/23 19:58
S3	0	(ohnishi-yukiyoshi).in. and (rotating adj machine)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/23 20:01
S4	12	(ohnishi-yukiyoshi).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/23 20:02
S5	26	("1619415" "4562164" "4896066" "5587619" "5763978" "6181038" "6226857" "6278213" "6281612" "6806614").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/23 20:42
S6	23	(core) and (slot near2 insulat\$3) with grooves	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/23 21:21
S7	4	("2702870").URPN.	USPAT	OR	OFF	2008/05/23 21:25
S8	11	("4365177").URPN.	USPAT	OR	OFF	2008/05/23 21:34
S9	14	("1685722" "2173726" "2201845" "2613238" "2975088" "3679925" "4001616" "4137471" "4365177").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/05/23 21:36
S10	11	("2173726").URPN.	USPAT	OR	OFF	2008/05/23 21:38
S11	7	("0630930" "2173726" "3196304" "3646374").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/05/23 21:42
S12	15	("4400639").URPN.	USPAT	OR	OFF	2008/05/23 21:43

S13	5	("3760493" "3909648" "4400639" "4876473" "6242836").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/05/23 21:48
S14	5	("3760493" "3909648" "4400639" "4876473" "6242836").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/05/23 22:05
S17	447	(core) and (slot near2 insulat\$3) and insert \$3 with winding	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/23 22:11
S18	8	("0589845" "0596136" "1843589" "2138292").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/05/23 22:14
S19	18	("3629624" "3670192" "3924906" "4308476" "4429241" "4473765" "4634911" "4724600" "4831295" "4863565" "4949001" "4949023" "4998103" "5036237" "5043612" "5066881" "5233499" "5428242").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/05/23 22:17
S20	15	("5821652").URPN.	USPAT	OR	OFF	2008/05/23 22:20
S21	4	("3127470" "4485126" "4559698").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/05/23 22:35
S22	3	("4842895").URPN.	USPAT	OR	OFF	2008/05/23 22:35
S23	4	("3348183" "3528171").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/05/23 22:39
S24	5	("4543708").URPN.	USPAT	OR	OFF	2008/05/23 22:40
S25	7	("3686069" "3735169" "4016321" "4160926" "4373002" "4375494").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/05/23 22:44
S26	7	("4486506").URPN.	USPAT	OR	OFF	2008/05/23 22:46
S27	1	("2483066").URPN.	USPAT	OR	OFF	2008/05/23 23:21
S28	467	(spray\$3 or coat\$3) with insulation with slot	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/23 23:59
S29	135	((spray\$3 or coat\$3) near5 insulation near5 slot)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/24 00:00
S30	65	((spray\$3 or coat\$3) near5 insulation near5 slot) and winding	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/24 00:01

S31	65	((spray or sprayed or spraying or coat or coated or coating) near5 insulation near5 slot) and winding	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/24 00:09
S32	5	("3760493" "3909648" "4400639" "4876473" "6242836").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/05/24 14:27
S33	144	(29/596,598,605,606,734,736).ccls. and (core) and (slot near2 insulat\$3) and insert \$3 with winding	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/24 14:51
S34	61	(29/596,598,605,606,734,736).ccls. and (core) and (slot near2 insulat\$3) and insert \$3 with winding and (spray\$3 or paint\$3 or coat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/24 14:54
S35	54	(29/596,598,605,606,734,736).ccls. and (core) and (slot near2 insulat\$3) and insert \$3 with winding and (spray\$3 or paint\$3 or coat\$3) with insulat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/24 14:55
S36	2	(29/596,598,605,606,734,736).ccls. and (core) and (slot near2 insulat\$3) and insert \$3 with winding and (spray\$3 or paint\$3) with insulat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/24 14:56
S37	35	(310/214-216).ccls. and (core) and (slot near2 insulat\$3) and insert\$3 with winding and (spray\$3 or paint\$3 or coat\$3) with insulat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/24 14:58
S38	1	((spray or sprayed or spraying) near5 insulation near5 slot) and winding	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/20 01:26
S40	39	((spray or sprayed or spraying) near5 insulation) same slot)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/20 01:27
S41	2	(29/596,598,605,606,734,736).ccls. and (core) and (slot near2 insulat\$3) and insert \$3 with winding and (spray\$3 or paint\$3) with insulat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/20 02:01

S42	36	(310/214-216).ccls. and (core) and (slot near2 insulat\$3) and insert\$3 with winding and (spray\$3 or paint\$3 or coat\$3) with insulat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/20 02:01
S44	7	(524/714,718,719).ccls. and slot and (spray \$3 or paint\$3 or coat\$3) same insulat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/20 02:03
S45	6	((tanaka-kazunori).in. or (tanaka near kazunori).in.) and (rotating adj machine)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/20 02:05
S46	12	(ohnishi-yukiyoshi).in. or (ohnishi near yukiyoshi).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/20 02:07
S47	1	("6844653").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2009/10/28 16:26
S48	184	(powder near6 spray\$3 near6 coat\$3) and slot and insulat\$3 and (motor or rotor or stator or core)	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/28 23:38
S49	14	(powder near6 spray\$3 near6 coat\$3) with slot and insulat\$3 and (motor or rotor or stator or core)	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/28 23:45
S50	1	("7571536").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2009/11/04 15:57
S51	6	((tanaka-kazunori).in. or (tanaka near kazunori).in.) and (rotating adj machine)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/04 22:55
S52	12	(ohnishi-yukiyoshi).in. or (ohnishi near yukiyoshi).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/04 22:55
S53	2	(29/596,598,605,606,734,736).ccls. and (core) and (slot near2 insulat\$3) and insert \$3 with winding and (spray\$3 or paint\$3) with insulat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/04 22:57

S64	31	(310/214,215,216.001).ccls. and (core) and (slot near2 insulat\$3) and insert\$3 with winding and (spray\$3 or paint\$3 or coat\$3) with insulat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/04 22:58
S65	7	(524/714,718,719).ccls. and slot and (spray\$3 or paint\$3 or coat\$3) same insulat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/04 23:00
S66	7	(groove with insulat\$3) and (core) and (slot near2 insulat\$3) and (insert\$3 with winding with slot) and (spray\$3 or paint\$3 or coat\$3) with insulat\$3 with slot	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/04 23:02
S67	6	((tanaka-kazunori).in. or (tanaka near kazunori).in.) and (rotating adj machine)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/25 23:49
S68	12	(ohnishi-yukiyoshi).in. or (ohnishi near yukiyoshi).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/25 23:49
S69	7	(524/714,718,719).ccls. and slot and (spray\$3 or paint\$3 or coat\$3) same insulat\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2010/01/25 23:50
S60	2	(29/596,598,605,606,734,736).ccls. and (core) and (slot near2 insulat\$3) and insert\$3 with winding and (spray\$3 or paint\$3) with insulat\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2010/01/25 23:50
S61	31	(310/214,215,216.001).ccls. and (core) and (slot near2 insulat\$3) and insert\$3 with winding and (spray\$3 or paint\$3 or coat\$3) with insulat\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2010/01/25 23:50
S62	7	(groove with insulat\$3) and (core) and (slot near2 insulat\$3) and (insert\$3 with winding with slot) and (spray\$3 or paint\$3 or coat\$3) with insulat\$3 with slot	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/25 23:51

1/ 25/ 2010 11:52:33 PM

C:\Documents and Settings\tphan5\My Documents\EAST\Workspaces\10573198.wsp